

## PUBLICATIONS

### DAVID L. OTIS

**Otis, D. L.**, K. P. Burnham, G. C. White and D. R. Anderson. 1978. Statistical inference from capture data on closed animal populations. *Wildlife Monographs* 62: 135 pp.

**Otis, D. L.** and D. C. Bowden. 1979. Testing equality of ratios from two finite populations. *J. of Statistical Planning and Inference*. 3:135-149.

Stickley, A. R., Jr., **D. L. Otis**, O. E. Bray, J. F. Heisterberg and T. F. Grandpre. 1979. Bird and mammal damage to mature corn in Kentucky and Tennessee. *Proc. Ann. Conf. S.E. Assoc. Fish and Wildl. Agencies*. 32:228-233.

Stickley, A. R., Jr., **D. L. Otis** and D. T. Palmer. 1979. Evaluation and results of a survey of blackbird and mammal damage to mature field corn over a large (three-state) area. *Vertebrate Pest Control and Mgmt. Materials, ASTM STP 680*, J. R. Beck, Ed., ASTM, pp. 169-177.

**Otis, D. L.** 1980. An extension of the change-in-ratio estimator. *Biometrics* 36(1):141-147.

**Otis, D. L.**, K. P. Burnham, G. C. White and D. R. Anderson. 1980. Corrections to *Wildlife Monograph No. 62*. *Journal of Wildlife Management* 44:666-667.

**Otis, D. L.** 1981. Summarizing remarks on species variability. Pages 247-248 in C. J. Ralph and J. M. Scott, eds. *Studies in Avian Biology*, No. 6, Cooper Ornithological Society.

Glahn, J. F. and **D. L. Otis**. 1981. An approach for assessing feed loss damage by starlings at livestock feedlots. *Vertebrate Pest Control and Management Methods, ASTM STP 680*, American Society for Testing and Materials. pp. 38-45.

White, G. C., D. R. Anderson, K. P. Burnham and **D. L. Otis**. 1982. Capture-recapture and removal methods for sampling closed populations, Los Alamos Natl. Lab., LA-8787-NERP. 235 pp.

Lefebvre, L. W., **D. L. Otis** and N. R. Holler. 1982. Comparison of open and closed models for cotton rat population estimates. *Journal of Wildlife Management* 46: 156-163.

Matschke, G. H., K. A. Fagerstone, N. D. Halstead, G. K. LaVoie and **D. L. Otis**. 1982. Population reduction of Richardson's ground squirrels with zinc phosphide. *Journal of Wildlife Management* 46: 671-677.

Holler, N. R., H. P. Naquin, P. L. Lefebvre, **D. L. Otis** and D. J. Cunningham. 1982. Mesurol for protecting sprouting rice from blackbird damage in Louisiana. *Wildlife Society Bulletin* 10: 165-170.

**Otis**, D. L., N. R. Holler, P. W. Lefebvre and D. F. Mott. 1983. Estimating bird damage to sprouting rice. *Vertebrate Pest Control and Management Methods*, ASTM STP 817, American Society for Testing and Materials. pp.76-90.

Anderson, D. R., K. P. Burnham, G. C. White and **D. L. Otis**. 1983. Density estimation of small mammal populations using a trapping web and distance sampling methods. *Ecology* 64:674-680.

Heisterberg, J. F. and **D. L. Otis**. 1983. A change-over test design to compare relative efficacies of seed corn bird repellents. *Vertebrate Pest Control and Management Methods*, ASTM STP 817, American Society for Testing and Materials. pp. 98-110.

Matschke, G. H., M. P. Marsh and **D. L. Otis**. 1983. Efficacy of zinc phosphide broadcast baiting for controlling Richardson's ground squirrels on rangeland. *Journal of Range Management* 36: 504-506.

Glahn, J. F., D. J. Twedt and **D. L. Otis**. 1983. Estimating feed loss from starling use of livestock feed troughs. *Wildlife Society Bulletin* 11: 366-372.

Jaeger, M. M., J. L. Cummings, **D. L. Otis**, J. L. Guarino and C. E. Knittle. 1984. Effect of Avitrol baiting on bird damage to ripening sunflower within a 144-section block of North Dakota. *Proceedings of the Ninth Bird Control Seminar*. 9:247-254.

Besser, J. F., J. W. DeGrazio, J. L. Guarino, D. F. Mott, **D. L. Otis**, B.B. Besser and C. E. Knittle. 1984. Decline in breeding red-winged blackbirds in the Dakotas, 1965-1981. *Journal of Field Ornithology* 55: 435-443.

**Otis**, **D. L.**, C. E. Knittle and G. M. Linz. 1986. A method for estimating turnover in spring blackbird roosts. *Journal of Wildlife Management* 50: 567-571.

Glahn, J. F. and **D. L. Otis**. 1986. Factors influencing blackbird and European starling damage at livestock feeding operations. *Journal of Wildlife Management* 50: 15-19.

Engeman, R. E., **D. L. Otis** and W. E. Dusenberry. 1986. Small sample comparison of Thompson's estimator to some common bioassay estimators. *Journal of Statistical Computation and Simulation* 25:237-250.

Engeman, R. M., **D. L. Otis** and W. E. Dusenberry. 1986. Small sample properties of some parametric bioassay estimators of the LD90. *Computers and Biomedical Research* 19:588-595.

**Otis**, **D. L.** 1987. Lethal roost toxicants for control of starlings and blackbirds. *Proc. East. Wildl. Conf.* 3:341-342.

Cunningham, D. J., **D. L. Otis** and E. W. Schafer, Jr. 1987. Evaluation of Proadifin HCl as a synergist for temporary immobilization and toxicity of eight chemicals in Coturnix quail. *Environmental Toxicology and Chemistry* 6: 33-39.

**Otis, D. L.** and C. M. Kilburn. 1988. Influence of environmental factors on blackbird damage to sunflower. U.S. Fish and Wildlife Service Technical Report I6: I-II.

Woronecki, P. P., R. A. Dolbeer and **D. L. Otis**. 1988. Evaluation of corn varieties for resistance to damage by blackbirds and starlings. *Vertebrate Pest Control and Management Materials*. American Soc. for Testing and Materials:5th Volume, ASTM STP 974, pp. 27-38.

**Otis, D. L.** 1989. Damage assessment-estimation methods and sampling design. In *Quelea quelea: Africa's Bird Pest*. Bruggers, R. L., Elliot, C. H., Eds. Oxford University Press, Oxford, England, pp. 78-101.

Engeman, R. M., **D. L. Otis**, F. Bromaghin and W. E. Dusenberry. 1989. On the use of the R50. *Vertebrate Pest Control and Management Materials*. American Soc. for Testing and Materials:6th Volume, ASTM STP 1055, pp. 13-18.

Mason, J. R. and **D. L. Otis**. 1990. The effectiveness of six potential irritants on consumption by red-winged blackbirds and starlings. In: B. Green and J. R. Mason (Eds.), *Chemical Irritation in the Nose and Mouth*, Marcel Dekker, Inc. New York, pp.309-323.

Jones, C. M., D. R. Robson, **D. L. Otis** and S. Gloss. 1990. Use of a computer simulation model to determine the behavior of a new recreational angler survey estimator. *Transactions of the American Fisheries Society* 119: 41-54.

Mason, J. R. , M. L. Avery, J. F. Glahn, **D. L. Otis**, R. E. Matteson and C. O. Nelms. 1991. Evaluation of methyl anthranilate and starch-plated dimethyl anthranilate as bird repellent feed additives. *Journal of Wildlife Management* 55:182-187.

Linz, G., J. Davis, Jr., R. M. Engeman, **D. L. Otis** and M. L. Avery. 1991. Estimating survival of bird carcasses in cattail marshes. *Wildlife Society Bulletin* 19:195-199.

Cummings, J. L., J. R. Mason, **D. L. Otis** and J. L. Heisterberg. 1991. Evaluation of methyl and dimethyl anthranilate as a Canada goose repellent on grass. *Wildlife Society Bulletin* 19:184-190.

Linz, G. L., C. E. Knittle, J. L. Cummings, J. E. Davis, Jr., **D. L. Otis** and D. L. Bergman. 1991. Using aerial marking for assessing population dynamics of late summer roosting red-winged blackbirds. *Prairie Naturalist* 23:117-126.

Mason, J. R., G. Nuechterlein, G. L. Linz, R. A. Dolbeer and **D. L. Otis**. 1991. Oil concentration differences among sunflower achenes and feeding preferences of red-winged blackbirds. *Crop Protection* 10:299-304.

Cummings, J. L., **D. L. Otis** and J. E. Davis, Jr. 1992. Dimethyl and methyl anthranilate and methiocarb deter feeding in captive Canada geese and mallards. *Journal of Wildlife Management* 56:349-355.

**Otis, D. L.**, L. L. McDonald and M. E. Evans. 1993. Parameter estimation in encounter sampling surveys. *Journal of Wildlife Management* 57: 543-548.

Wise, D. J., T. E. Schwedler and **D. L. Otis**. 1993. Effects of stress on susceptibility of native channel catfish in immersion challenge with Edwardsiella ictaluri. *Journal of Animal Health* 5: 92-97.

**Otis, D. L.** 1994. Optimum sample size allocation for wood duck banding studies. *Journal of Wildlife Management* 58: 114-123.

Cummings, J. L., J. R. Mason, **D. L. Otis**, J. E. Davis, Jr., and T. J. Ohashi. 1994. Evaluation of methiocarb, ziram, and methyl anthranilate as bird repellents applied to dendrobium orchids. *Wildlife Society Bulletin* 22: 633-638.

Nelms, C. O., W. J. Bleier, **D. L. Otis**, and G. M. Linz. 1994. Population estimates of breeding blackbirds in North Dakota, 1967, 1981-82, and 1990. *American Midland Naturalist* 132:256-263.

**Otis, D. L.** 1995. Introductory comments on the special session on wildlife population estimation. *Trans. 59th N. A. Wildl. and Natur. Resour. Conf.* :147-148.

**Otis, D. L.** and W. F. Dukes, Jr. 1997. Assessment of potential improvement in wood duck survival estimates by use of nest box banding programs in the mid-Atlantic region. *Proc. S.E. Assoc. of Fish and Wildl. Agencies* 49:618-628.

**Otis, D. L.** 1997. Analysis of habitat selection studies with multiple patches within cover types. *Journal of Wildlife Management* 61:1016-1022.

Allen, D. L. and **D. L. Otis**. 1998. Relationships between deer mouse population parameters and dieldrin contamination in the Rocky Mountain Arsenal National Wildlife Refuge. *Canadian Journal of Zoology* 76:243-250.

**Otis, D. L.** 1998. Analysis of the influence of spatial pattern in habitat selection studies. *Journal of Agricultural, Biological, and Environmental Statistics* 3:254-268.

McGowan, D. P. and **D. L. Otis**. 1998. Population demographics of two local South Carolina mourning dove populations. *Journal of Wildlife Management* 62:1443-1451.

Edwards, N. T. and **D. L. Otis**. 1999. Avian communities and habitat relationships in South Carolina Piedmont beaver ponds. *American Midland Naturalist* 141:158-171.

Cummings, J. L., **D. L. Otis**, J. E. Davis, Jr., and K. A. Crane. 1998. Evaluation of methyl anthranilate and

DRC-156 as Canada goose grazing repellents. Pages 193-199 *in* D. H. Rusch, M. D. Samuel, D. D. Humberg, and B. D. Sullivan, eds. *Biology and management of Canada geese*. Proceedings of the international Canada goose symposium, Milwaukee, WI.

**Otis, D. L.** and G. C. White. 1999. Autocorrelation of location estimates and the analysis of radiotracking data. *Journal of Wildlife Management* 63:1039-1044.

Nelms, C. O. , **D. L. Otis**, G. M. Linz, and W. J. Bleier. 1999. Use of cluster sampling to estimate breeding blackbird populations in North Dakota. *Wildlife Society Bulletin* 28:931-997.

Leblanc, D. E. and **D. L. Otis**. 2000. Preferences by mourning doves and two granivorous songbirds for selected seeds. *Proceedings of the Southeastern Association of Fish and Wildlife Agencies* 52:324-335.

Taylor, C.E., **Otis, D. L.**, Hill, H. E., Jr., and C. R. Ruth. 2000. Design and evaluation of mail surveys to estimate deer harvest parameters. *Wildlife Society Bulletin* 28:717-723.

**Otis, D. L.** 2001. Quantitative training of wildlife graduate students. *Wildlife Society Bulletin* 29:1043-1049.

**Otis, D. L.** and G. C. White. 2002. Re-analysis of a banding study to test effects of an experimental increase in bag limits of mourning doves. In Morgan, B.J.T. and Thomson, D.L.,Eds. *Statistical Analysis of Data from Marked Bird Populations*. *Journal of Applied Statistics* 29, nos1-4.

**Otis, D. L.** 2002. Survival models for harvest management of mourning dove populations. *Journal of Wildlife Management* 66:1052-1063.

Kinkead, K. E., **D. L. Otis**, J. F. Townsend, and J. A. Fairey. 2002. The efficacy of tree shelters for oak regeneration on a wetland mitigation site. *Ecological Restoration* 20:208-209.

**Otis, D. L.** 2003. A framework for reproductive models of mourning dove populations. *Journal of the Iowa Academy of Science* 110: 13-16.

Scott, D. P., J. B. Berdeen, **D. L. Otis**, and R. L. Fendrick. 2004. Harvest parameters of urban and rural morning doves in Ohio. *Journal of Wildlife Management* 68:694-700.

**Otis, D. L.** 2004. Comparison of the distribution of mallard harvest in the Mississippi and Atlantic Flyways between periods of restrictive and liberal hunting regulations. *Journal of Wildlife Management* 68:351-360.

Sanders, F. J., R. Costa, and **D. L. Otis**. 2005. Use of modified artificial cavities to access red-cockaded woodpecker nests. In Costa, R. and Daniels,S. J., Eds. *Proceedings of the Red-cockaded Woodpecker Symposium IV*. Hancock House. Surrey, BC, Canada. pp. 453 - 458.

Jordan, N. E., **D. L. Otis**, R. Costa, and S. A. Gauthreaux. 2005. Hatching failure and embryonic mortality within a red-cockaded woodpecker population in South Carolina. In Costa, R. and Daniels, S. J., Eds. Proceedings of the Red-cockaded Woodpecker Symposium IV. Hancock House. Surrey, BC, Canada. pp. 607 - 616.

**Otis, D. L.** And G. C. White. 2004. Evaluation of ultrastructure and random effects band recovery models for estimating relationships between survival and harvest rates in exploited populations. In Senar, J. C., Dhondt, A., and Conroy, M. J., Eds. Proceedings of the International Euring Conference 2003. Animal Biodiversity and Conservation 27: 157 - 173.

Peters, K. A. and **D. L. Otis**. 2005. Using the risk-disturbance hypothesis to assess the relative effects of human disturbance and predation risk on foraging American oystercatchers. Condor 107: 715 - 724.

Berdeen, J. B. and **D. L. Otis**. 2006. The influence of subcutaneous transmitter implants on the weight change and survival of mourning doves. Wildlife Society Bulletin 34:93-104.

**Otis, D. L.** 2006. A mourning dove hunting regulation strategy based on annual harvest statistics and banding data. Journal of Wildlife Management 70:1302-1307.

Peters, K. A. and **D. L. Otis**. 2007. Shorebird roost-site selection at two temporal scales is human disturbance a factor? Journal of Applied Ecology 44:196-209.

Peters, K. A. and **D. L. Otis**. 2006. Wading bird response to recreational boat traffic on a national wildlife refuge in South Carolina: Does flushing translate into site avoidance? Wildlife Society Bulletin 34: 1383-1392.

Greenberg, C., **D. L. Otis**, and T. Waldrop. 2006. Response of white-footed mice (*Peromyscus leucopus*) to fire and fire surrogate fuel reduction treatments in a southern Appalachian hardwood forest. Forest Ecology and Management 234:355-362.

Kinkead, K.E. and **D. L. Otis**. 2007. Estimating superpopulation size and annual breeding probability of breeding for pond breeding salamanders. Herpetologica 63:151-162.

Kinkead, K. E. , A. G. Abbott, and **D. L. Otis**. 2007. Genetic variation among *Ambystoma* breeding populations on the Savannah River Site. Conservation Genetics 8:281-292

Nusser, S.M., W. R. Clark, **D. L. Otis**, and L. Huang. 2008. Sampling considerations for surveillance in wildlife populations. Journal of Wildlife Management 72:52-61.

**Otis, D. L.**, J. H. Schulz, and D. P. Scott. 2008. Mourning dove (*Zenaidura macroura*) harvest and population parameters derived from a national banding study. U.S. Department of Interior, Fish and Wildlife Service, Biological Technical Publication FWS/BTP-R3010-2008, Washington D.C.

**Otis, D. L.**, J. H. Schulz, D. A. Miller, R. Mirarchi, and T. Baskett. 2008. Mourning dove (*Zenaidura macroura*). In The Birds of North America, No. 117. (A. Poole and F. Gill, Eds.). Philadelphia: The

Academy of Natural Sciences; Washington, D.C.: The American Ornithologists Union.

Thomson, D. L. , M. J. Conroy, D. R. Anderson, E. G. Cooch, C. M. Francis, J. D. Lebreton, M. S. Lindberg, B. J. T. Morgan, **D. L. Otis**, and G. C. White. 2009. Standardising terminology and notation for the analysis of demographic processes in mark populations. Pages 1099 – 1007 in D. L. Thomson, E. G. Cooch, M. J. Conroy, eds. Modeling demographic processes in marked populations. Environmental and Ecological Statistics Series: Volume 3. Springer. New York, NY.

Loda, J. L. and D. L. Otis. Accepted. Low prevalence of amphibian chytrid fungus (*Batrachocytrium dendrobatidis*) in Northern Leopard Frog (*Rana pipiens*) populations of north-central Iowa, USA. Herpetological Review.

Miller, D. A., C. M. Vleck, and D. L. Otis. Accepted. Individual variation in baseline and stress-induced corticosterone and prolactin levels predicts parental effort by nesting mourning doves. Hormones and Behavior.

Otis, D. L., H. Wickham, and L.G. Coggins, Jr. Submitted. Comparison of Alternative Mark-recapture Models and Sampling Designs for Abundance Estimation of the Grand Canyon Gila cypha Population. Canadian Journal of Fisheries and Aquatic Sciences.

Potter, L. M., D. L. Otis, and T. R. Bogenschutz. Submitted. Nest success and brood habitat selection of northern bobwhite in relation to microhabitat and landscape composition on managed and unmanaged landscapes in southeast Iowa. Journal of Wildlife Management.

Miller, D. A. and D. L. Otis. Submitted. Calibrating recruitment estimates for mourning doves from harvest age ratios. Journal of Wildlife Management.